



Schweizerische Eidgenossenschaft

Confédération suisse

Confederazione Svizzera

Confederaziun svizra

Swiss Confederation

Federal Department of Economic Affairs,  
Education and Research EAER

**State Secretariat for Economic Affairs SECO**

Swiss Accreditation Service SAS

## STS Directory

**Accreditation number: STS 0030**

International standard: ISO/IEC 17025:2017

Swiss standard: SN EN ISO/IEC 17025:2018

BSL Baustofflabor AG

Postgässli 23a

3661 Uetendorf

Head:

Andreas Lohf

Responsible for MS:

Dr. Benjamin KAESER

Telephone:

+41 58 226 84 44

E-Mail:

[info@baustofflabor.ch](mailto:info@baustofflabor.ch)

Internet:

[www.baustofflabor.ch](http://www.baustofflabor.ch)

Initial accreditation:

08.09.1993

Current accreditation:

08.09.2023 to 07.09.2028

Scope of accreditation see: [www.sas.admin.ch](http://www.sas.admin.ch)

(Accredited bodies)

### Scope of accreditation as of 08.09.2023

#### Testing laboratory for bituminous binders, concrete, cement, mineral aggregates, soils and in situ tests

| Group of products or materials, field of activity | Principle of measurement 2 (characteristics, measuring ranges, type of test)  | Test methods, remarks (national, international standards, in-house test methods)  |
|---|---|---|
| (Hardened) concrete                               | Determination of the Freeze Cycling<br><br>Determination of Metallic Fiber Content (metallic fibre reinforced concrete)<br><br>Determination of water infiltration rate<br><br>Determination of the resistance to chlorides<br><br>Determination of the Freeze-thaw resistance<br><br>Determination of the resistance to sulfates<br><br>Determination of resistance to carbonation | SIA 162/1, test nr. 8, repealed standard<br><br>SIA 162/6 resp.<br>SN 562 162/6<br><br>SIA 262/1 appendix A resp.<br>SN 505 262/1<br><br>SIA 262/1 appendix B resp.<br>SN 505 262/1<br><br>SIA 262/1 appendix C resp.<br>SN 505 262/1<br><br>SIA 262/1 appendix D resp.<br>SN 505 262/1<br><br>SIA 262/1 appendix I resp.<br>SN 505 262/1 |



## STS Directory

**Accreditation number: STS 0030**

| <b>Group of products or materials, field of activity</b> | <b>Principle of measurement 2) (characteristics, measuring ranges, type of test)</b>  | <b>Test methods, remarks (national, international standards, in-house test methods)</b> |
|--|---|---|
|  | Determination of air void characteristics   | SIA 262/1 appendix K resp.<br>SN 505 262/1  |
|  | Determination of secant modulus of elasticity in compression  | SN EN 12390-13 resp.<br>SIA 262.263   |
|  | Determination of the shrinkage of concrete  | SN EN 12390-16 resp.<br>SIA 262.266   |
|  | Making and curing specimens for strength tests  | SN EN 12390-2 resp.<br>SIA 262.252  |
|  | Compressive Strength of test specimens  | SN EN 12390-3 resp.<br>SIA 262.253  |
|  | Determination of flexural strength of test specimens  | SN EN 12390-5 resp.<br>SIA 262.255  |
|  | Determination of Tensile splitting strength of test specimens   | SN EN 12390-6 resp.<br>SIA 262.256  |
|  | Determination of Density of hardened concrete   | SN EN 12390-7 resp.<br>SIA 262.257  |
|  | Determination of the depth of penetration of water under pressure   | SN EN 12390-8 resp.<br>SIA 262.258  |
|  | Testing sprayed concrete - Part 4: Bond strength of cores by direct tension   | SN EN 14488-4 resp.<br>SIA 262.604  |
|  | Determination of chloride content in hardened concrete - Products and systems for the protection and repair of concrete structures                                | SN EN 14629 resp.<br>SIA 262.496  |
|  | Determination of carbonation depth in hardened concrete by the phenolphthalein method - Products and systems for the protection and repair of concrete structures | SN EN 14630 resp.<br>SIA 262.495  |
|  | Measurement of bond strength by pull-off (Products and systems for the protection and repair of concrete structures)  | SN EN 1542 resp.<br>SIA 162.421   |
| Cement   | Determination of Strength (flexural and compressive strength)   | SN EN 196-1 resp.<br>SIA 215.011  |
| Fresh concrete and mortar                                | Determination of the water content of freshly mixed concrete  | SIA 262/1 appendix H resp.<br>SN 505 262/1  |
|  | Sampling fresh concrete   | SN EN 12350-1 resp.<br>SIA 262.231  |
|  | Determination of degree of compactability   | SN EN 12350-4 resp.<br>SIA 262.234  |



## STS Directory

**Accreditation number: STS 0030**

| <b>Group of products or materials, field of activity</b>  | <b>Principle of measurement 2) (characteristics, measuring ranges, type of test)</b>  | <b>Test methods, remarks (national, international standards, in-house test methods)</b> |
|---|---|---|
| Concrete structures and elements  | Flow table test   | SN EN 12350-5 resp.<br>SIA 262.235  |
|   | Determination of Density  | SN EN 12350-6 resp.<br>SIA 262.236  |
|   | Determination of air content; Pressure methods  | SN EN 12350-7 resp.<br>SIA 262.237  |
|   | Slump-flow test (Self- compacting concrete)   | SN EN 12350-8 resp.<br>SIA 262.238  |
|   | Taking, examining and testing in compression cored specimens of concrete in structures  | SN EN 12504-1 resp.<br>SIA 262.213  |
|   | Determination of chloride content in hardened concrete - Products and systems for the protection and repair of concrete structures                                | SN EN 14629 resp.<br>SIA 262.496  |
|   | Determination of carbonation depth in hardened concrete by the phenolphthalein method - Products and systems for the protection and repair of concrete structures | SN EN 14630 resp.<br>SIA 262.495  |
|   | Measurement of the concrete cover according to norm: preservation of concrete structures  | SIA 269/2 resp.<br>SN 505 269/2   |
|   | Execution and interpretation of potential measurement on reinforced concrete  | SIA guideline 2006  |
|   | Determination of rebound number of concrete in structures - Non-destructive testing (control of the Schmidt Hammer incl.)   | SN EN 12504-2 resp.<br>SIA 262.214, modified procedure - "guideline Schmidt"            |
| (Mineral-) aggregates, sand, gravel, coarse aggregates, crushed stones, filler, unbound materials, etc. | Methods of test for screed materials - Part 8: Determination of bond strength   | SN EN 13892-8 resp.<br>SIA 252.010  |
|   | Measurement of bond strength by pull-off  | SN EN 1542 resp.<br>SIA 162.421   |
|   | Determination of resistance of aggregates to fragmentation  | SN EN 1097-2  |
|   | Determination of loose bulk density and voids of aggregates   | SN EN 1097-3  |
|   | Determination of the voids of dry compacted filler  | SN EN 1097-4  |



## STS Directory

Accreditation number: STS 0030

| Group of products or materials, field of activity | Principle of measurement 2) (characteristics, measuring ranges, type of test)   | Test methods, remarks (national, international standards, in-house test methods) |
|---|---|--|
|   | Determination of the water content of aggregates by drying in a ventilated oven   | SN EN 1097-5   |
|   | Determination of particle density and water absorption of aggregates  | SN EN 1097-6   |
|   | Determination of the particle density of filler; pycnometer method  | SN EN 1097-7   |
|   | Determination of the stiffening effect of filler according to norm: Test for filler aggregate used in bituminous mixtures. Delta ring and ball test | SN EN 13179-1  |
|   | Determination of acidic soluble sulfates according to norm: Tests for chemical properties of aggregates - Part 1: Chemical analysis                 | SN EN 1744-1   |
|   | Determination of water soluble chloride salts according to norm: Tests for chemical properties of aggregates - Part 1: Chemical analysis            | SN EN 1744-1   |
|   | Determination of total sulfur content according to norm: Tests for chemical properties of aggregates - Part 1: Chemical analysis                    | SN EN 1744-1   |
|   | Determination of lightweight contaminants according to norm: Tests for chemical properties of aggregates - Part 1: Chemical analysis                | SN EN 1744-1   |
|   | Determination of water susceptibility of fillers for bituminous mixtures  | SN EN 1744-4   |
|   | Determination of particle size distribution of aggregates - Sieving Method  | SN EN 933-1  |
|   | Determination of particle size distribution of aggregates - Sieving Method with water of aggregates mixtures  | SN EN 933-1, modified procedure  |
|   | Determination of particle size distribution of aggregates - Sieving Method of aggregates mixtures   | SN EN 933-1, modified procedure  |
|   | Tests for geometrical properties of aggregates - Classification test for the constituents of coarse recycled aggregate                              | SN EN 933-11   |
|   | Determination of Particle Shape of aggregates - Flakiness Index   | SN EN 933-3  |



## STS Directory

**Accreditation number: STS 0030**

| <b>Group of products or materials, field of activity</b> | <b>Principle of measurement 2) (characteristics, measuring ranges, type of test)</b>  | <b>Test methods, remarks (national, international standards, in-house test methods)</b> |
|--|---|---|
| Soft rocks, soils, ground                                | Determination of particle shape of aggregates; shape index  | SN EN 933-4   |
|  | Determination of percentage of crushed and broken surfaces in coarse aggregate particles  | SN EN 933-5   |
|  | Determination of flow coefficient of aggregates   | SN EN 933-6   |
|  | Sedimentation analysis, areometer method according to standard: Determination of particle size distribution (soils)                                     | SN EN ISO 17892-4   |
|  | Mineralogy and qualitative and quantitative petrography of aggregates   | VSS 70 115  |
|  | Determination of the water content by drying in a ventilated oven   | SN EN 1097-5, modified procedure  |
|  | Test methods for the determination of the laboratory reference density and water content (unbound and hydraulically bound mixtures). Proctor compaction | SN EN 13286-2   |
|  | determination of the compressive strength of hydraulically bound mixtures (unbound and hydraulically bound mixtures)                                    | SN EN 13286-41  |
|  | Test method for the determination of California Bearing ratio, immediate bearing index and linear swelling  | SN EN 13286-47  |
|  | Permeability tests  | SN EN ISO 17892-11  |
|  | Determination of liquid and plastic limits  | SN EN ISO 17892-12  |
|  | Determination of particle density - Pycnometer method   | SN EN ISO 17892-3 resp.<br>SN 670 340-3   |
|  | Sedimentation analysis, areometer method according to standard: Determination of particle size distribution (soils)                                     | SN EN ISO 17892-4   |
|  | Test of swelling due to freeze and CBR test of soils after thaw (CBRF)  | VSS 70 321  |
|  | Determination of organic matter in soils  | VSS 70 370  |
| Soils, underground and rocks: in situ tests              | Methods for sampling aggregates   | SN EN 932-1   |
|  | EV and ME-plate bearing test (soils)  | VSS 70 317  |
|  | Determination of density of soil (nucleometer)  | VSS 70 335  |



## STS Directory

Accreditation number: STS 0030

| Group of products or materials, field of activity | Principle of measurement 2) (characteristics, measuring ranges, type of test)  | Test methods, remarks (national, international standards, in-house test methods) |
|---|--|--|
| Bituminous binders                                | Index of penetration (calculation) according to norm: Specifications for paving grade bitumens                           | SN EN 12591  |
|   | Preparation of test samples  | SN EN 12594  |
|   | Determination of the affinity between aggregate and bitumen  | SN EN 12697-11   |
|   | Bitumen recovery: Rotary evaporator  | SN EN 12697-3  |
|   | Determination of the elastic recovery of modified bitumen  | SN EN 13398  |
|   | Characterization of perceptible properties   | SN EN 1425   |
|   | Determination of needle penetration  | SN EN 1426   |
|   | Determination of softening point Ring and Ball method  | SN EN 1427   |
|   | Determination of complex shear modulus and phase angle - Dynamic Shear Rheometer (DSR) of bitumen and bituminous binders | SN EN 14770  |
|   | Sampling bituminous binders  | SN EN 58   |
| Bituminous mixtures                               | Soluble binder content determination of mix asphalt  | SN EN 12697-1  |
|   | Determination of the water sensitivity of bituminous specimens   | SN EN 12697-12   |
|   | Determination of particle size distribution of bituminous mixtures   | SN EN 12697-2  |
|   | Indentation using cube or cylindrical specimens (CY)   | SN EN 12697-20   |
|   | Determination of the indirect tensile strength of bituminous specimens   | SN EN 12697-23   |
|   | Sampling bituminous mixtures   | SN EN 12697-27   |
|   | Preparation of samples for determining binder content, water content and grading   | SN EN 12697-28   |
|   | Determination of the dimensions of a bituminous specimen   | SN EN 12697-29   |
|   | Specimen preparation by impact compactor   | SN EN 12697-30   |
|   | Marshall test  | SN EN 12697-34   |



## STS Directory

**Accreditation number: STS 0030**

| <b>Group of products or materials, field of activity</b> | <b>Principle of measurement 2) (characteristics, measuring ranges, type of test)</b>                                   | <b>Test methods, remarks (national, international standards, in-house test methods)</b> |
|--|--|---|
| Road construction and waterproofing: in situ tests       | Method for the determination of the thickness of a bituminous pavement   | SN EN 12697-36  |
|  | Determination of the interlayer bonding - Shear Bond Test (SBT)  | SN EN 12697-48  |
|  | Determination of the maximum density of bituminous mixtures  | SN EN 12697-5   |
|  | Determination of bulk density of bituminous specimens  | SN EN 12697-6   |
|  | Determination of void characteristics of bituminous specimens  | SN EN 12697-8   |
|  | Standard Test Method for Density (degree of compaction) of Bituminous Concrete (pavements) in Place by Nuclear Methods | ASTM D2950, modified procedure  |
|  | Peeling test (bituminous membranes)  | SIA 281/2 resp.<br>SN 564 281/2, method A   |
|  | Determination of pull-off bond strength of bituminous membranes  | SIA 281/3 resp.<br>SN 573 281/3   |
|  | Control of the geometry - Longitudinal flatness - Surface characteristics of pavements                                 | VSS 40 517  |
|  | Benkelman beam deflexion test  | VSS 70 362  |

In case of contradictions in the language versions of the directories, the German version shall apply.

\* / \* / \* / \* / \*